


著作目録（鈴木惇）

著者	東北大学史料館
号	742
発行年	2000-03
URL	http://hdl.handle.net/10097/00065559

鈴木 惇教授著作目録

平成12年3月
東北大学記念資料室
(著作目録第742号)



鈴木 惇教授略歴

生年月日 昭和12年3月2日
本 籍 地 宮城県
所 属 東北大学大学院農学研究科資源生物科学専攻
動物生産科学講座機能形態学分野

学 歴

昭和36年3月 東北大学農学部畜産学科卒業
昭和40年3月 東北大学大学院農学研究科畜産学専攻修士課程修了

学 位

昭和49年12月 農学博士（東北大学）

受 賞

昭和51年4月 日本畜産学会賞

職 歴

昭和36年4月 西武化学株式会社
昭和41年4月 茨城大学農学部助手
昭和45年4月 東北大学農学部助手
昭和53年10月 客員研究員として筋肉生物学に関する研究のためアメリカ合衆国に出張（昭和55年4月まで）
昭和63年5月 東北大学農学部助教授
平成3年6月 東北大学農学部教授
平成11年4月 東北大学大学院農学研究科教授
平成12年3月 停年退職

学会における活動

日本畜産学会評議員，日本畜産学会理事，日本獣医学会評議員，
東北畜産学会評議員，東北畜産学会会長

著 作 目 録

① 著 書

鈴木 惇. 肉製品の組織. 乳・肉・卵の科学. 中江利孝編. 弘学出版, 1986, 213-228.

鈴木 惇. ウシ: 生体機構. 新編畜産大辞典. 田先威和夫監修. 養賢堂, 1996, 557-570.

鈴木 惇. 食肉の科学: 筋肉の構造. 動物資源利用学. 伊藤敏敏・渡邊乾二・伊藤 良編. 文永堂出版, 1998, 158-168.

鈴木 惇. 反芻動物の消化管の形態. 反芻動物の栄養生理学. 佐々木康之監修. 農文協, 1998, 33-49.

鈴木 惇. 筋組織. 獣医組織学. 日本獣医解剖学会編. 学窓社, 1999, 99-115.

鈴木 惇. 食肉. 食品・調理・加工の組織学. 田村咲江監修. 学窓社, 1999, 99-118.

② 論 文

Itikawa, O., Yamamoto, S., Suzuki, A., Tamate, H., Hoshino, T., Yoneya, S., and Goto, K. Physio-histological studies on the physiological obesity of the meat pigs (Report V), especially on the distribution of succinic dehydrogenase, alkaline and acid phosphatase on the course of corticosteroid production in the swine adrenals. *Tohoku J. Agric. Res.*, 15 : 183-209, 1965.

Itikawa, O., Tamate, H., Hoshino, T., Yamaoto, S., Suzuki, A., Itikawa, A., Yoneya, S., and Goto, K. Physio-histochemical studies on the physiological obesity of the meat pigs, (Report VIII) especially on the histochemical observations of the Sutherland's hypothesis connected with glycogenolysis, coenzymes and steroid hormone as the hormonal regulation of the intracellular reaction in the adrenals of Landrace-F1-meat pigs. *Tohoku J. Agric. Res.*, 16 : 13-47, 1965.

Suzuki, A. Morphological studies on the muscle fibers of under-nutritional sheep caused by experimental starvation (Report I). Especially on the correlation between the macroscopic and microscopic views and glycogen deposition of the muscle fibers. *Tohoku J. Agric. Res.*, 16 : 117-139, 1965.

- Itikawa, O., Hoshino, T., Yamaguchi, T., Hata, K., Suzuki, A., and Minegishi, K. Histochemical studies of hides in process from fresh skins to tanned leathers (Report III), especially the swelling and splitting of collagenous fibers, and the mechanism of sufficient ventilation in leathers. *Tohoku J. Agric. Res.*, 16 : 275-297, 1966.
- Itikawa, O., Tamate, H., Hoshino, T., Ishida, K., Yoneya, S., Goto, K., Yamamoto, S., Suzuki, A., Ooiye, K., Itoh, M., Kawabe, Y., Hata, K., Sato, T., Yamaguchi, T., Kusuvara, S., Kikuchi, T., Minegishi, K., Yoshimoto, T., and Onoh, H. Physio-histological studies on the physiological obesity of meat pigs, (Report IX) , especially on the occurrence of glycogen within the nuclei and cytoplasm of the zona reticularis in the adrenals of wild boars and Landrace meat pigs in comparison with that of Yorkshire- and Landrace F₁-meat pigs, Yorkshire piglets, Yorkshire pigs immunized with hog-cholera virus, and other pigs. *Tohoku J. Agric. Res.*, 17 : 215-233, 1967.
- Suzuki, A. Morphological studies on the muscle fiber of under-nutritional sheep caused by experimental starvation. II. *Sci. Rep. Fac. Agric. Ibaraki Univ.*, 17 : 13-30, 1969.
- Suzuki, A. Histochemical classification of individual skeletal muscle fibers in the sheep. I. On *M. semitendinosus*, *M. longissimus dorsi*, *M. psoas major*, *M. latissimus dorsi*, and *M. gastrocnemius*. *Jpn. J. Zootech. Sci.*, 42 : 39-54, 1971.
- Suzuki, A. Histochemical classification of individual skeletal muscle fibers in the sheep. II. On *M. serratus ventralis*, *M. supraspinatus*, *M. infraspinatus*, *M. semimembranosus*, and *M. triceps brachii* (Caput longum). *Jpn. J. Zootech. Sci.*, 42 : 463-473, 1971.
- Suzuki, A. and Tamate, H. Histochemistry of individual muscle fibers in porcine muscle. *Acta Histochem. Cytochem.*, 4 : 273, 1971.
- Suzuki, A. Histochemical classification of individual skeletal muscle fibers in the sheep. III. On the *M. masseter*. *Jpn. J. Zootech. Sci.*, 43 : 161-166, 1972.
- Suzuki, A. Histochemistry of the chicken skeletal muscles. I. Classification of individual muscle fibers. *Tohoku J. Agric. Res.*, 23 : 45-57, 1972.
- Suzuki, A. Histochemical study of skeletal muscle fibers in starved sheep with special reference to targetoid and degenerative fibers. *Tohoku J. Agric. Res.*, 23 : 207-215, 1973.
- Suzuki, A. Histochemical observations of individual skeletal muscle fibers in starved sheep. *Jpn. J. Zootech. Sci.*, 44 : 50-58, 1973.

- Suzuki, A. Fatty change in skeletal muscle fibers in starved sheep. *Jpn. J. Zootech. Sci.*, 44 : 258-265, 1973.
- Suzuki, A. Histochemical study of β -hydroxybutyrate dehydrogenase activity in skeletal muscle fibers in normal and starved sheep. *Jpn. J. Zootech. Sci.*, 45 : 401-407, 1974.
- Suzuki, A. and Tamate, H. Histochemical classification of skeletal muscle fibers in the cattle. *Acta Histochem. Cytochem.*, 7 : 319-327, 1974.
- Suzuki, A. The pH stability of myofibrillar adenosine triphosphatase of five fiber types in skeletal muscles of the sheep and cattle. *Jpn. J. Zootech. Sci.*, 47 : 95-103, 1976.
- Suzuki, A., Tamate, H., and Okada, M. The effect of a high plane of nutrition during a given period of growth on size and proportion of skeletal muscle fiber types in the cattle. *Tohoku J. Agric. Res.*, 27 : 20-25, 1976.
- Suzuki, A. A comparative histochemical study of the masseter muscles of the cattle, sheep, swine, dog, guinea pig, and rat. *Histochemistry*, 51 : 121-131, 1977.
- Suzuki, A. Histochemistry of chicken skeletal muscles. II. Distribution and diameter of three fiber types. *Tohoku J. Agric. Res.*, 27 : 38-43, 1978.
- 鈴木 惇, 大和田修一, 玉手英夫. 黒毛和種とホルスタインの骨格筋における筋線維内脂肪滴の有無と各筋線維型の割合と太さ. *日本畜産学会報*, 49 : 262-269, 1978.
- Suzuki, A. and Tamate, H. Histochemical properties and fiber type composition of the pectoral and thigh muscles of the Japanese quail. *Acta Histochem. Cytochem.*, 12 : 69-74, 1979.
- Schultz, E., Clark, A.W., Suzuki, A., and Cassens, R.G. Rattlesnake shaker muscle : I. A light microscopic and histochemical study. *Tissue & Cell*, 12 : 323-334, 1980.
- Suzuki, A. and Cassens, R.G. pH sensitivity of myosin adenosine triphosphatase and subtypes of myofibres in porcine muscle. *Histochem. J.*, 12 : 687-693, 1980.
- Suzuki, A. and Cassens, R.G. A histochemical study of myofiber types in muscle of the growing pig. *J. Anim. Sci.*, 51 : 1449-1461, 1980.
- Suzuki, A., Tsuchiya, T., and Tamate, H. Histochemical properties of myofiber types in thigh muscles of the chicken. *Acta Histochem. Cytochem.*, 15 : 362-371, 1982.
- Suzuki, A. and Cassens, R.G. A histochemical study of myofiber types in the serratus ventralis thoracis muscle of sheep during growth. *J. Anim. Sci.*, 56 : 1447-1458, 1983.

- Suzuki, A., Tsuchiya, T., Takahashi, Y., and Tamate, H., Histochemical properties of myofibers in longissimus muscle of common dolphins (*Delphinus delphis*). *Acta Histochem. Cytochem.*, 16 : 223-231, 1983.
- Suzuki, A., Tsuchiya, T., Ohwada, S., and Tamate, H. Distribution of myofiber types in thigh muscles of chickens. *J. Morphol.*, 185 : 146-154, 1985.
- Suzuki, A. A histochemical change in myofibers of sheep muscle in refrigeration. *Tohoku J. Agric. Res.*, 36 : 135-143, 1986.
- Suzuki, A. and Tamate, H. Distribution of myofiber types in the hip and thigh musculature of sheep. *Anat. Rec.*, 221 : 494-502, 1988.
- Suzuki, A. Myofiber atrophy and histochemical changes in thigh muscles of a lame goat with foot rot. *Tohoku J. Agric. Res.*, 38 : 1-10, 1988.
- Suzuki, A. Inconsistency of reactivity for acid-stable myosin ATPase in subtypes of type II myofibers in equine, porcine, and caprine muscles. *Tohoku J. Agric. Res.*, 39 : 73-79, 1989.
- Suzuki, A. Histochemical properties of the masseter muscle in horses and goats. *Tohoku J. Agric. Res.*, 40 : 1-7, 1989.
- Suzuki, A. Composition of myofiber types in limb muscles of the house shrew (*Suncus murinus*) : Lack of type I myofibers. *Anat. Rec.*, 228 : 23-30, 1990.
- Suzuki, A. Composition of myofiber types in the pectoral girdle musculature of sheep. *Anat. Rec.*, 230 : 339-346, 1991.
- Suzuki, A. and Hayama, S. Histochemical classification of myofiber types in the triceps surae and flexor digitorum superficialis muscle of Japanese macaques. *Acta Histochem. Cytochem.*, 24 : 323-328, 1991.
- Suzuki, A. Composition of myofiber types in the intrinsic lingual muscle of sheep. *Tohoku J. Agric. Res.*, 44 : 33-38, 1994.
- Suzuki, A. and Hayama, S. Individual variation in myofiber type composition in the triceps surae and flexor digitorum superficialis muscles of Japanese macaques. *Anthropol. Sci.*, 102 (Suppl.) : 127-138, 1994.
- Suzuki, A. Differences in distribution of myofiber types between the supraspinatus and infraspinatus muscles of sheep. *Anat. Rec.*, 242 : 483-490, 1995.
- Iimura, H. and Suzuki, A. Muscle architecture and myofiber type composition of porcine intrinsic lingual muscle. *Tohoku J. Agric. Res.*, 46 : 1-9, 1995.
- Suzuki, A., Yamadera, Y., Kido, K., and Watanabe, K. Sarcomere shortening and contraction nodes in stretched-restrained ovine myofibers during post mortem storage. *Meat Sci.*, 46 : 339-348, 1997.

鈴木啓一，安部博行，小川ゆう子，石田光晴，清水隆弘，鈴木 惇．3元交雑豚の肉質に及ぼす止め雄品種の影響．日本畜産学会報，68：310-317，1997．

Suzuki, A., Watanabe, K., Yoshida, Y., Kido, K., Konno, T., and Ohwada, S. Possibility of artifical increases in type I myofibers associated with palatability of meat and fatty change in ovine muscle. Reproduction Biology Update. Miyamoto, H. and Manabe, N. eds. Shoukadoh Booksellers Company, Kyoto, pp. 451-459, 1998.

佐藤靖子，鈴木 惇．笹かまぼこの組織構造：すり身タンパク質の染色性およびデンプン粒子と気泡の含有量．日本調理科学会誌，32：226-233，1999．

Suzuki, A., Watanabe, K., Konno, T., and Ohwada, S. Distribution of myofiber types in the hip and thigh musculature of pigs. Anim. Sci. J. 70：519-529, 1999.

③ 研究報告

玉手英夫，水間 豊，山岸敏宏，星野忠彦，鈴木 惇，足立 達，須山亭三．日本短角種，黒毛和種およびそれらの交雑種の肉質に関する研究．食肉に関する助成研究調査成果報告書．1：56-62，1983；2：37-44，1984；3：60-65，1985．

鈴木 惇，葉山杉夫．霊長類の上・下肢筋の機能に関する酵素組織化学的解析．京都大学霊長類研究年報，16：66-67，1986；17：67，1987；18：76-77，1988．

鈴木 惇，渡邊康一，葉山杉夫．霊長類の殿筋群の姿勢保持に関する酵素組織化学的解析．京都大学霊長類研究年報，20：56-57，1990．

鈴木 惇，葉山杉夫．霊長類の殿筋群の姿勢保持に関する酵素組織化学的解析．京都大学霊長類研究年報，21：68，1991；22：71-72，1992．

鈴木 惇，大和田修一．豚の大腿部筋系における筋線維型の分布パターン図の作成．食肉に関する助成研究調査成果報告書．11：263-267，1993．

鈴木 惇，大和田修一．豚の胸および腰最長筋における筋線維型の分布パターン図の作成．食肉に関する助成研究調査成果報告書．12：306-310，1994．

④ 国際学会報告

Suzuki, A. and Tamate, H. Distribution of myofiber types in hip and thigh muscles of sheep. 5th World Conference on Animal Production, Proceedings. Vol.2. 707-708, 1983.

- Suzuki, A. and Hayama, S. Distribution of type I myofibers in the thigh musculature of Japanese macaques. *Primate Today*, Ehara, A., Kimura, T., Takenaka, O., and Iwamoto, M. ed. Elsevier Science Publishers B.V., pp. 479-480, 1991.
- Suzuki, A., Konno, T., Watanabe, K., and Ohwada, S. Distribution of type I myofibers in the leg musculature of sheep. *The 8th AAAP Animal Science Congress Proceedings*, Vol. 2., 558-559, 1996.
- Watanabe, K. and Suzuki, A. Distribution of myofiber types in the caudal pharyngeal constrictor muscles of sheep. *The 8th World Conference on Animal Production Proceedings*, Vol. II., 730-731, 1998.
- Watanabe, K., Tominaga, S., and Suzuki, A. Changes in percentage of type I myofibers in muscle of the cattle during growth. *45th International Congress of Meat Science and Technology, Congress Proceedings*, Vol. I, 280-281, 1999.

⑤ 総説・解説

- 鈴木 惇. 家畜の骨格筋線維の組織化学的分類とその機能的意義に関する研究. *日本畜産学会報*, 48 : 183-191, 1977.
- 鈴木 惇. ガラガラヘビの尾 ―高速運動の主役と持続性―. *化学と生物*, 19 : 376-377, 1981.
- 鈴木 惇, 玉手英夫. 酵素活性に基づく筋線維型およびその機能と可変性. *獣医学*, 1985, 1-27, 1985.
- 鈴木 惇. 家畜における筋の肥大と萎縮. *Japanese J. Sport Sci.*, 10 : 608-614, 1991.
- 鈴木 惇. 霊長類の骨格筋における筋線維型からみた樹上適応. *霊長類研究*, 12 : 133-146, 1996.
- 鈴木 惇. 骨格筋線維の異質性：骨格筋の機能解析. *東北大学報*, 1457 (2) : 55-56, 1998.